



— PACKAGED —

# NAILS

Richmond, BC



San Bernardino, CA



Calgary, AB



Rancho Cucamonga, CA





## Your Assurance of Quality, Value and Service

Tree Island Steel is the largest domestic nail producer in western North America. The Tree Island Steel facility in Richmond, British Columbia, is one of the most technologically advanced nail mills in the world, producing over 400 types, sizes and finishes of nails and staples for the construction and consumer markets.

Our prime focus at Tree Island Steel is to add value to all of our products. Advanced technology and efficient production help us ensure consistent quality while keeping costs down, and a diverse product line makes us a one-stop supplier for all your nail and wire needs. From a prepackaged nail retail program to traditional bulk packaging, our abundant inventory ensures that we have the product you need when you need it.

Customers who purchase Tree Island Steel nails can be assured of receiving products that are uniformly strong, straight and sharp. Your assurance of quality is that all our products are backed by a full replacement guarantee.

Tree Island Steel has a quality management system that complies with ISO 9001 standards.

You can count on us for quality.

You can count on us for value.

You can count on us for service.



ICC-ES ESR-1768









# ENVIRONMENTAL SUSTAINABILITY

Tree Island Steel is committed to environmental sustainability.

Tree Island Steel leads the industry in environmental stewardship and is committed to embracing sustainability in all aspects of our operations.

From the products we manufacture to our durable, reusable packaging, we continually strive to ensure the most efficient use of our resources.



Our current achievements include:

- Many of our products are manufactured from recycled steel, and any scrap generated is recycled
- Tree Island packaged nails are supplied in recycled plastic containers that are 100% reusable and recyclable
- Tree Island bulk and collated nails are packaged in cartons produced from recycled cardboard
- All waste materials generated from manufacturing or packaging are recycled or reused
- We participate in an empty wire carrier packaging retrieval program
- Water used in the production process is treated in a sophisticated wastewater treatment plant and exceeds all environmental requirements for discharge
- Tree Island Steel is fully committed to recycling paper documents and reducing the need for paper in offices and operations
- Our employees maximize the use of electronic communication in an effort to reduce paper usage

Our commitment to waste management includes:



- Recycling or reusing waste zinc
- Actively promoting recycling both internally and to customers and suppliers
- Sourcing and promoting products that minimize the environmental impact of both production and distribution
- Meeting or exceeding all environmental legislation in emissions
- Minimizing waste by evaluating operations and ensuring they are as efficient as possible
- Reducing power usage in plant operations

Our products are suitable for use in LEED structures, and Tree Island Steel's quality management system complies with ISO 9001 standards.



Genuine  
Tree Island Steel  
Hot-Dipped Galvanized  
ZincGard® Nail



Competitor's  
Galvanized Nail

# IF IT DOESN'T SAY **HOT-DIPPED,** IT PROBABLY ISN'T!

Some companies cut corners when it comes to corrosion protection by manufacturing nails from hot-dipped galvanized wire, painting damaged heads and points with zinc paint, or even using a different coating altogether.

Tree Island Steel ZincGard® nails meet or exceed all ASTM A153 standards and are compliant to building code requirements in the US and Canada, ensuring you get the quality and product life you expect from a genuine hot-dipped galvanized nail.

In fact, we even go above when it comes to corrosion protection.

Tree Island Steel ZincGard® nails have one of the thickest and most uniform hot-dipped coatings in the market. Tests show that this can provide upwards of 20 more years of service life than a standard galvanized coating.

## WHEN IT COMES TO CORROSION PROTECTION, WE CHECK ALL THE BOXES



MEETS ASTM  
A153 SPECS



ACQ  
APPROVED



UNIFORM  
COATING



IMPACT AND  
DAMAGE  
RESISTANT



ZINC-COATED  
AFTER  
FORMING



GENUINE  
HOT-DIPPED  
COATING



## THERE IS A DIFFERENCE!



**TREE ISLAND STEEL ZINGGARD® NAILS ARE GENUINE HOT-DIPPED GALVANIZED NAILS, MADE TO THE HIGHEST STANDARDS AND DESIGNED TO LAST.**

Beware of imposters! Some companies interchange “exterior galvanized” with hot-dipped galvanized nails. These are not hot-dipped galvanized nails and are not required to meet the same standards.



**ZINGGARD® NAILS MEET ALL ASTM A153 SPECIFICATIONS INCLUDING ADHESION AND WEIGHT OF COAT REQUIREMENTS.**

Nails cut from hot-dipped galvanized wire or coated in “zinc-like” finishes are not required to have the same coating thickness as genuine hot-dipped galvanized nails. A lighter coating means less service life. Beware of so-called “hot-dipped” nails.



**HOT-DIPPED GALVANIZING PROVIDES A SACRIFICIAL BARRIER.**

If there is damage to part of the nail, the adjacent zinc will protect the exposed steel until all of the surrounding zinc is consumed. If a nail manufactured from hot-dipped galvanized wire or a nail with a “zinc-like” coating is compromised, the exposed areas will begin to rust, leading to premature failure.




**HOT-DIPPED GALVANIZING PRODUCES A METALLURGICAL BOND BETWEEN THE STEEL AND ZINC.**

This reaction occurs at approximately 840°F and creates a 3,600 psi bond strength. Some companies paint the heads of nails manufactured from hot-dipped galvanized wire to conform to standards. The painted zinc adheres at only a few hundred psi bond strength and will not bond to unclean steel. Tests also show it has zero impact on the ability to protect from corrosion.



**ZINGGARD® HOT-DIPPED GALVANIZED NAILS ARE RESISTANT TO IMPACT.**

The zinc coating will not crack or chip off when being driven. Nails cut from galvanized wire leave the point and head damaged, exposing the bare steel to premature corrosion. When impacted by a hammer or nail gun, the head can be compromised.



**HOT-DIPPED GALVANIZING CREATES A THICK, UNIFORM PROTECTIVE BARRIER, EVEN ON HARD TO COVER AREAS SUCH AS EDGES, CURVES AND POINTS.**

A genuine hot-dipped galvanized nail should look just like this one here, not smooth and painted. Thick zinc coatings are missing on nails manufactured from hot-dipped galvanized wire, especially on hard to cover areas like the head and point.

# NAIL SELECTION



NAIL TYPE BY COLOR	General Use	Joist Hanger	Duplex	Flooring	Roofing
Siding & Fencing	Masonry	Casing & Decking	Drywall	Finish	Staple

NAIL FINISH GUIDE	<b>ZincGard</b> HOT DIPPED GALVANIZED	EG Electro-Galvanized	PHOSPHATE	BRIGHT
-------------------	--	--------------------------	-----------	--------



# NAIL PACKAGING



## PACKAGE DIMENSIONS

Pack Size	Height	Length	Width	Volume	Master	Master Pack Size
Small	2.18"	5.81"	3.625"	12 oz / 350 ml	8	12"W x 4"D x 8¼"H
Large	3"	5.81"	5.81"	32 oz / 1 L	6	11½"W x 6"D x 9"H

# TERMINOLOGY

## FINISHES

Almost all nails in this brochure are shown with specifications as “bright” nails, which have a natural, uncoated steel finish. A variety of special finishes are also available.

### Electro-Galvanized

An electroplating process which coats nails with a smooth, temporary layer of zinc. Not recommended for exterior use. Available on any nail up to 12”, excluding finishing nails.

### Hot-Dip Galvanized

A heavy coating is produced by immersion in molten zinc. The zinc provides dual protection by serving as both a barrier coating and a sacrificial coating. Tree Island Steel hot-dip galvanized nails exceed ASTM A153 Class D specifications. Hot-dip galvanized nails are recommended for use where high corrosion resistance is required such as outdoor exposure and for use with pressure treated wood (ACQ). Available on all nails over 1-¼” (3d), 15 gauge.

### Vinyl Coated


A coating to ease nail driving and provide greater holding power. Ideal for pneumatic nail guns and automatic nail machines as the finish will not flake.

### Phosphate Coated

A chemical etching process that provides temporary corrosion resistance and greater holding power. The phosphate coating is an excellent adhesive base for paints and drywall joint compound. Not recommended for exterior use. Available on nails up to 6”.

### Spiral / Ring Shank

Recommended for shock loads or where extremely high holding power is required. Ring nails engage the wood fibres and are very difficult to remove.



Most nails are magnetically packed for easier handling. Packed in convenient, easy-to-handle strapped cartons for use on the job site or for display in retail stores.

## Bend Yield Strengths

All Tree Island Steel nails used for framing and sheathing connections exceed the bend yield strength requirements of IBC Sec 2303.6.

Nail Shank Size		Bend Yield (psi)
Wire Gauge	Decimal (in.)	
7 to 2	0.178 to 0.263	> 80,000
9-½ to 7	0.143 to 0.177	> 90,000
< 9-½	< 0.142	> 100,000

## Codes and Specifications

Tree Island Steel nails meet or exceed the requirements of ASTM F1667, ASTM A153 and ASTM C514. Tree Island Steel nails are accepted as meeting the requirements of the International Building Code by ICC-ES Evaluation Report ESR-1768.

Nail Shank Size Smooth		Nail Head Diameter		Nail Shank Size Spiral	
Wire Gauge	Decimal (in.)	Head Size	Decimal (in.)	Wire Gauge	Decimal (in.)
17-½	0.051	⅜"	0.094	14	0.080
17	0.054	⅞"	0.109	13-½	0.086
16	0.063	⅝"	0.125	12-½	0.098
15-½	0.067	⅜"	0.156	11-½	0.110
15	0.072	⅜"	0.172	10-½	0.122
14-½	0.076	⅜"	0.188	9-¾	0.132
14	0.080	⅜"	0.203	9	0.148
13-½	0.086	⅜"	0.219	8	0.160
13	0.092	⅜"	0.234	7	0.176
12-½	0.099	⅜"	0.250	5	0.212
12	0.106	⅜"	0.266	3	0.252
11-½	0.113	⅜"	0.281	2	0.276
11	0.121	⅜"	0.297	1	0.300
10-½	0.128	⅜"	0.313	0	0.324
10-¼	0.131	⅜"	0.344		
10	0.135	⅜"	0.359		
9-½	0.142	⅜"	0.375		
9	0.148	⅜"	0.391		
8-½	0.155	⅜"	0.406		
8	0.162	⅜"	0.438		
7	0.177	⅜"	0.469		
6-½	0.185	⅜"	0.484		
6	0.192	⅜"	0.500		
5-½	0.200	⅜"	0.531		
5	0.207	⅜"	0.625		
4	0.225	⅜"	0.750		
3	0.244				
2	0.263				



# TABLE OF CONTENTS

---

## GENERAL USE

Common .....	12
Box .....	13
Spiral .....	15
Spiral Finish .....	16
Spiral Casing .....	16
Finishing .....	17
Casing .....	18
Ring Shank Common .....	18
Duplex (Scaffold) .....	18
Sinker .....	19
Drywall (Cupped) .....	19
Drywall (Ringed) .....	19
Joist Hanger .....	20

## SIDING

Siding .....	21
Spiral Siding .....	21
Oval Head Siding .....	21

## ROOFING

Standard Roofing .....	22
Neoprene Roofing (Ring Shank) .....	23
Shake .....	23
Shingle .....	24
Plastic Cap Roofing (Ring Shank) .....	24

## FLOORING

Ring Shank Underlay Flooring .....	25
Fluted Flooring .....	25

## SPECIALTY USE

Fluted Masonry .....	26
Fence Staples .....	27
Poultry Netting Staples .....	27

# GENERAL USE



## COMMON

- Flat Head
- Diamond Point
- Round Smooth Shank

*For general construction, carpentry and wood framing.*

COMMON - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
70010	2d	1"	15	600	small	8	095832700105
70012	3d	1¼"	14	400	small	8	095832700129
70014	4d	1½"	12.5	200	small	8	095832700143
70020	6d	2"	11.5	125	small	8	095832700204
70022	7d	2¼"	11.5	120	small	8	095832700228
70024	8d	2½"	10.25	75	small	8	095832700242
70030	10d	3"	9	50	small	8	095832700303
70032	12d	3¼"	9	50	small	8	095832700327
70034	16d	3½"	8	40	small	8	095832700341
70040	20d	4"	6	20	small	8	095832700402
COMMON - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65014	4d	1½"	12.5	800	large	6	095832650141
65020	6d	2"	11.5	500	large	6	095832650202
65022	7d	2¼"	11.5	450	large	6	095832650226
65024	8d	2½"	10.25	300	large	6	095832650240
65030	10d	3"	9	200	large	6	095832650301
65032	12d	3¼"	9	175	large	6	095832650325
65034	16d	3½"	8	150	large	6	095832650349
65040	20d	4"	6	90	large	6	095832650400



# GENERAL USE



## COMMON

- Flat Head
- Diamond Point
- Round Smooth Shank

For general construction, carpentry and wood framing.

COMMON - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	PCS	Size	Master	UPC
71310	2d	1"	15	660	small	8	095832713105
71312	3d	1¼"	14	400	small	8	095832713129
71314	4d	1½"	12.5	200	small	8	095832713143
71320	6d	2"	11.5	125	small	8	095832713204
71324	8d	2½"	10.25	80	small	8	095832713242
71330	10d	3"	9	50	small	8	095832713303
71332	12d	3¼"	9	50	small	8	095832713327
71334	16d	3½"	8	50	small	8	095832713341
71340	20d	4"	6	20	small	8	095832713402

COMMON - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	PCS	Size	Master	UPC
66312	3d	1¼"	14	1500	large	6	095832663127
66314	4d	1½"	12.5	800	large	6	095832663141
66320	6d	2"	11.5	400	large	6	095832663202
66324	8d	2½"	10.25	300	large	6	095832663240
66330	10d	3"	9	150	large	6	095832663301
66332	12d	3¼"	9	180	large	6	095832663325
66334	16d	3½"	8	125	large	6	095832663349
66340	20d	4"	6	75	large	6	095832663400



## BOX

- Flat Head
- Diamond Point
- Round Smooth Shank

For light general interior and exterior construction. Lighter than common nails, they help reduce splitting in soft woods.

BOX - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
70312	3d	1¼"	14.5	540	small	8	095832703120
70314	4d	1½"	14	370	small	8	095832703144
70320	6d	2"	12.5	180	small	8	095832703205
70324	8d	2½"	11.5	110	small	8	095832703243
70330	10d	3"	10.5	70	small	8	095832703304
70334	16d	3½"	10	50	small	8	095832703342
70340	20d	4"	9	40	small	8	095832703403

BOX - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66220	6d	2"	12.5	700	large	6	095832662205
66224	8d	2½"	11.5	430	large	6	095832662243
66230	10d	3"	10.5	280	large	6	095832662304
66234	16d	3½"	10	220	large	6	095832662342
66240	20d	4"	9	150	large	6	095832662403

# GENERAL USE



## BOX

- Flat Head
- Diamond Point
- Round Smooth Shank

For light general interior and exterior construction. Lighter than common nails, they help reduce splitting in soft woods.

### BOX - HOT DIP GALVANIZED (SMALL PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71414	4d	1½"	14	300	small	6	095832714140
71416	5d	1¾"	14	300	small	6	095832714164
71420	6d	2"	12.5	170	small	6	095832714201
71424	8d	2½"	11.5	100	small	6	095832714249
71434	16d	3½"	10	50	small	6	095832714348

### BOX - HOT DIP GALVANIZED (LARGE PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66414	4d	1½"	14	1330	large	6	095832664148
66416	5d	1¾"	14	1160	large	6	095832664162
66420	6d	2"	12.5	660	large	6	095832664209
66422	7d	2¼"	12.5	590	large	6	095832664223
66424	8d	2½"	11.5	400	large	6	095832664247
66430	10d	3"	10.5	270	large	6	095832664308
66432	12d	3¼"	10.5	250	large	6	095832664322
66434	16d	3½"	10	210	large	6	095832664346
66440	20d	4"	9	150	large	6	095832664407

### BOX - PHOSPHATE COATED (SMALL PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71012	3d	1¼"	14.5	500	small	8	095832710128
71014	4d	1½"	14	350	small	8	095832710142
71020	6d	2"	12.5	175	small	8	095832710203
71024	8d	2½"	11.5	100	small	8	095832710241
71030	10d	3"	10.5	70	small	8	095832710302
71032	12d	3¼"	10.5	70	small	8	095832710326
71034	16d	3½"	10	50	small	8	095832710340
71040	20d	4"	9	40	small	8	095832710401

### BOX - PHOSPHATE COATED (LARGE PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66014	4d	1½"	14	1000	large	6	095832660140
66020	6d	2"	12.5	700	large	6	095832660201
66024	8d	2½"	11.5	400	large	6	095832660249
66030	10d	3"	10.5	275	large	6	095832660300
66032	12d	3¼"	10.5	250	large	6	095832660324
66034	16d	3½"	10	175	large	6	095832660348
66040	20d	4"	9	160	large	6	095832660409

# GENERAL USE



## SPIRAL

- Flat Head
- Diamond Point
- Spiral Shank

*For general construction use where ease of driving and greater holding power are required. Effective against shock loads and vibrations, holding power increases from 50% to 200%.*

SPIRAL - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72612	3d	1¼"	14	500	small	8	095832726129
72614	4d	1½"	13.5	370	small	8	095832726143
72620	6d	2"	12.5	200	small	8	095832726204
72624	8d	2½"	10.5	100	small	8	095832726242
72630	10d	3"	9.75	75	small	8	095832726303
72632	12d	3¼"	9.75	50	small	8	095832726327
72634	16d	3½"	8	40	small	8	095832726341
72640	20d	4"	7	25	small	8	095832726402
SPIRAL - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67614	4d	1½"	13.5	1400	large	6	095832676141
67620	6d	2"	12.5	800	large	6	095832676202
67624	8d	2½"	10.5	400	large	6	095832676240
67630	10d	3"	9.75	300	large	6	095832676301
67632	12d	3¼"	9.75	250	large	6	095832676325
67634	16d	3½"	8	180	large	6	095832676349
67640	20d	4"	7	125	large	6	095832676400
SPIRAL - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72814	4d	1½"	13.5	300	small	8	095832728147
72820	6d	2"	12.5	200	small	8	095832728208
72824	8d	2½"	10.5	100	small	8	095832728246
72830	10d	3"	9.75	75	small	8	095832728307
72832	12d	3¼"	9.75	70	small	8	095832728321
72834	16d	3½"	8	40	small	8	095832728345
72840	20d	4"	7	25	small	8	095832728406
SPIRAL - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67814	4d	1½"	13.5	1400	large	6	095832678145
67820	6d	2"	12.5	600	large	6	095832678206
67824	8d	2½"	10.5	250	large	6	095832678244
67830	10d	3"	9.75	250	large	6	095832678305
67832	12d	3¼"	9.75	250	large	6	095832678329
67834	16d	3½"	8	150	large	6	095832678343
67840	20d	4"	7	100	large	6	095832678404



# GENERAL USE



## SPIRAL FINISH

- Brad Head
- Diamond Point
- Spiral Shank

Used for trim work and finishing where maximum strength is needed and nail concealment is desired.

SPIRAL FINISH - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72712	3d	1¼"	15	400	small	8	095832727126
72714	4d	1½"	14	350	small	8	095832727140
72716	4d	1¾"	13.5	300	small	8	095832727164
72720	6d	2"	12.5	200	small	8	095832727201
72724	8d	2½"	12.5	150	small	8	095832727249
72730	10d	3"	11.5	120	small	8	095832727300

SPIRAL FINISH - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67720	6d	2"	12.5	800	large	6	095832677209
67724	8d	2½"	12.5	660	large	6	095832677247
67730	10d	3"	11.5	450	large	6	095832677308

SPIRAL FINISH - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72914	4d	1½"	14	325	small	8	095832729144
72920	6d	2"	12.5	200	small	8	095832729205
72924	8d	2½"	12.5	150	small	8	095832729243
72930	10d	3"	11.5	100	small	8	095832729304

SPIRAL FINISH - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67914	4d	1½"	14	1200	large	6	095832679142
67920	6d	2"	12.5	700	large	6	095832679203
67924	8d	2½"	12.5	600	large	6	095832679241
67930	10d	3"	11.5	400	large	6	095832679302



## SPIRAL CASING

- Countersunk Cupped Head
- Diamond Point
- Spiral Shank

Used for trim work where additional strength is needed and nail concealment is desired.

SPIRAL CASING - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71732	12d	3¼"	9.75	60	small	8	095832717325

SPIRAL CASING - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67532	12d	3¼"	9.75	240	large	6	095832675328

# GENERAL USE



## FINISHING

- Brad Head
- Diamond Point
- Round Smooth Shank

*Used mainly for light fastening of interior trim work, finish carpentry and in cabinetry where nail concealment is desired.*

FINISHING - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
70406	1d	¾"	17.5	2000	small	8	095832704066
70410	2d	1"	17	1400	small	8	095832704103
70412	3d	1¼"	15.5	700	small	8	095832704127
70414	4d	1½"	15	500	small	8	095832704141
70416	5d	1¾"	15	400	small	8	095832704165
70420	6d	2"	13	225	small	8	095832704202
70424	8d	2½"	12.5	150	small	8	095832704240
70430	10d	3"	11.5	100	small	8	095832704301
70434	16d	3½"	11	75	small	8	095832704349
70440	20d	4"	10	50	small	8	095832704400
FINISHING - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65410	2d	1"	17	5000	large	6	095832654101
65412	3d	1¼"	15.5	2500	large	6	095832654125
65414	4d	1½"	15	1900	large	6	095832654149
65416	5d	1¾"	15	1690	large	6	095832654163
65420	6d	2"	13	900	large	6	095832654200
65424	8d	2½"	12.5	600	large	6	095832654248
65430	10d	3"	11.5	400	large	6	095832654309
65434	16d	3½"	11	300	large	6	095832654347
65440	20d	4"	10	200	large	6	095832654408
FINISHING - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71512	3d	1¼"	15.5	700	small	8	095832715123
71514	4d	1½"	15	400	small	8	095832715147
71516	5d	1¾"	15	430	small	8	095832715161
71520	6d	2"	13	200	small	8	095832715208
71524	8d	2½"	12.5	125	small	8	095832715246
71530	10d	3"	11.5	90	small	8	095832715307
71534	16d	3½"	11	70	small	8	095832715345
FINISHING - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66514	4d	1½"	15	1800	large	6	095832665145
66516	5d	1¾"	15	1500	large	6	095832665169
66520	6d	2"	13	800	large	6	095832665206
66524	8d	2½"	12.5	500	large	6	095832665244
66530	10d	3"	11.5	350	large	6	095832665305
66534	16d	3½"	11	280	large	6	095832665343

# GENERAL USE



## CASING

- Countersunk Cupped Head
- Diamond Point
- Round Smooth Shank

Used for trim work where additional strength is needed and nail concealment is desired.

CASING - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71620	6d	2"	12.5	175	small	8	095832716205
71624	8d	2½"	11.5	100	small	8	095832716243
71630	10d	3"	10.5	70	small	8	095832716304
71632	12d	3¼"	10.5	70	small	8	095832716328
71634	16d	3½"	10	50	small	8	095832716342

CASING - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66624	8d	2½"	11.5	400	large	6	095832666241
66630	10d	3"	10.5	250	large	6	095832666302
66632	12d	3¼"	10.5	250	large	6	095832666326
66634	16d	3½"	10	220	large	6	095832666340



## RING SHANK COMMON

- Flat Head
- Diamond Point
- Round Ringed Shank

For use in permanent applications where superior holding power and enduring strength are essential. Commonly used for flooring, sheathing and decking.

RING SHANK COMMON - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
73420	6d	2"	11.5	140	small	8	095832734209
73424	8d	2½"	10.25	80	small	8	095832734247
73434	16d	3½"	8	40	small	8	095832734346



## DUPLEX (SCAFFOLD)

- Double Head
- Diamond Point
- Round Smooth Shank

For temporary construction where nail removal is required such as concrete form work, scaffolds and bracing. Also used for stringing temporary wiring.

DUPLEX - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
70616	6d	1¾"	11.5	110	small	8	095832706169
70622	8d	2¼"	10.25	60	small	8	095832706220
70630	16d	3"	8	35	small	8	095832706305
70632	18d	3¼"	7	25	small	8	095832706329
70634	20d	3½"	6	20	small	8	095832706343

DUPLEX - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65616	6d	1¾"	11.5	430	large	6	095832656167
65622	8d	2¼"	10.25	260	large	6	095832656228
65630	16d	3"	8	140	large	6	095832656303



# GENERAL USE




## SINKER

- Flat Countersunk Checkered Head
- Diamond Point
- Round Smooth Shank

Used for wood framing and general construction.

SINKER - VINYL COATED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
70117	6d	1 $\frac{1}{8}$ "	13	175	small	8	095832701171
70123	8d	2 $\frac{3}{8}$ "	11.5	110	small	8	095832701232
70131	12d	3 $\frac{1}{8}$ "	10	60	small	8	095832701317
70132	16d	3 $\frac{1}{4}$ "	9	40	small	8	095832701324

SINKER - VINYL COATED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65217	6d	1 $\frac{1}{8}$ "	13	720	large	6	095832652176
65223	8d	2 $\frac{3}{8}$ "	11.5	430	large	6	095832652237
65231	12d	3 $\frac{1}{8}$ "	10	230	large	6	095832652312
65234	16d	3 $\frac{1}{4}$ "	9	180	large	6	095832652343




## CUPPED DRYWALL

- Cupped Head
- Long Diamond Point
- Round Smooth Shank

For attaching drywall to wood framing.  
For  $\frac{1}{2}$ " drywall, use 1 $\frac{3}{8}$ " nail. For  $\frac{5}{8}$ " drywall, use 1 $\frac{5}{8}$ " nail.

CUPPED DRYWALL - PHOSPHATE COATED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71213		1 $\frac{3}{8}$ "	12.5	310	small	8	095832712139
71214		1 $\frac{1}{2}$ "	12.5	290	small	8	095832712146
71215		1 $\frac{3}{8}$ "	12.5	270	small	8	095832712153
71217		1 $\frac{3}{8}$ "	12.5	230	small	8	095832712177

CUPPED DRYWALL - PHOSPHATE COATED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66113		1 $\frac{3}{8}$ "	12.5	1190	large	6	095832661130
66114		1 $\frac{1}{2}$ "	12.5	1100	large	6	095832661147
66115		1 $\frac{3}{8}$ "	12.5	1020	large	6	095832661154
66117		1 $\frac{3}{8}$ "	12.5	770	large	6	095832661178



## RINGED DRYWALL

- Flat Head
- Diamond Point
- Ringed Shank

For attaching drywall to wood framing.  
For  $\frac{1}{2}$ " drywall, use 1 $\frac{3}{8}$ " nail. For  $\frac{5}{8}$ " drywall, use 1 $\frac{5}{8}$ " nail.

RINGED DRYWALL - ELECTRO GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
73812		1 $\frac{1}{4}$ "	12.5	300	small	8	095832738122
73814		1 $\frac{1}{2}$ "	12.5	250	small	8	095832738146

RINGED DRYWALL - ELECTRO GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
68112		1 $\frac{1}{4}$ "	12.5	1200	large	6	095832681121
68114		1 $\frac{1}{2}$ "	12.5	1000	large	6	095832681145

# GENERAL USE



## JOIST HANGER

- Flat Head
- Diamond Point
- Round Shank

*A heavy-gauge nail suitable for securely supporting metal connectors for wood construction.*

JOIST - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
70954		1¼"	11	175	small	8	095832709542
70854		1½"	10.25	125	small	8	095832708545
70754	N10	1½"	9	100	small	8	095832707548
JOIST - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65112		1¼"	11	720	large	6	095832651124
65114	N10	1½"	9	410	large	6	095832651148
JOIST - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72012		1¼"	11	160	small	8	095832720127
72014	N10	1½"	9	90	small	8	095832720141
72018	N8	1½"	10.25	100	small	8	095832720189
72016	N16	2½"	8	40	small	8	095832720165
JOIST - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66902		1¼"	11	160	large	6	095832669020
66904	N10	1½"	9	90	large	6	095832669044
66905	N8	1½"	10.25	100	large	6	095832669051
66906	N16	2½"	8	40	large	6	095832669068
JOIST - ELECTRO GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
74814		1¼"	11	190	small	8	095832748145
74714	N10	1½"	9	110	small	8	095832747148
JOIST - ELECTRO GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65512		1¼"	11	720	large	6	095832655122
65514	N10	1½"	9	410	large	6	095832655146

# SIDING



## SIDING

- Flat Head
- Blunt Point
- Round Smooth Shank

Used for application of cedar siding and clapboard. Small diameter and blunt point prevent wood from splitting.



## SPIRAL SIDING

- Flat Checkered Head
- Blunt Point
- Spiral Shank

Used for application of cedar siding where greater holding strength is required.



## OVAL HEAD SIDING

- Oval Head
- Diamond Point
- Round Smooth Shank

Used for blind nailing of cedar siding and clapboard.

### SIDING - HOT DIP GALVANIZED (SMALL PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71922	7d	2¼"	12.5	140	small	8	095832719220
71924	8d	2½"	12.5	100	small	8	095832719244

### SIDING - HOT DIP GALVANIZED (LARGE PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66922	7d	2¼"	12.5	550	large	6	095832669228
66924	8d	2½"	12.5	380	large	6	095832669242

### SPIRAL SIDING - HOT DIP GALVANIZED (SMALL PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
73320	6d	2"	12.5	260	small	8	095832733202
73322	7d	2¼"	12.5	230	small	8	095832733226
73324	8d	2½"	12.5	200	small	8	095832733240
73330	10d	3"	10.5	100	small	8	095832733301

### SPIRAL SIDING - HOT DIP GALVANIZED (LARGE PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66720	6d	2"	12.5	670	large	6	095832667200
66722	7d	2¼"	12.5	750	large	6	095832667224
66724	8d	2½"	12.5	700	large	6	095832667248
66730	10d	3"	10.5	350	large	6	095832667309

### OVAL HEAD SIDING - HOT DIP GALVANIZED (SMALL PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
71822	7d	2¼"	12	125	small	8	095832718223

### OVAL HEAD SIDING - HOT DIP GALVANIZED (LARGE PACK)

Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
66822	7d	2¼"	12	500	large	6	095832668221
66824	8d	2½"	12	400	large	6	095832668245
66834	16d	3½"	9	280	large	6	095832668344



# ROOFING



## STANDARD ROOFING

- Flat Head
- Diamond Point
- Round Smooth Shank

*Nail with an enlarged head suitable for preparing roofing, asphalt shingles, insulation board and felts.*

ROOFING - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72310		1"	10	170	small	8	095832723104
72312		1¼"	10	125	small	8	095832723128
72314		1½"	10	120	small	8	095832723142
ROOFING - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67312		1¼"	10	500	large	6	095832673126
67314		1½"	10	400	large	6	095832673140
ROOFING - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72110		1"	10	150	small	8	095832721100
72112		1¼"	10	100	small	8	095832721124
72114		1½"	10	100	small	8	095832721148
72120		2"	10	75	small	8	095832721209
72506		¾"	11	250	small	8	095832725061
72507		⅞"	11	220	small	8	095832725078
72510		1"	11	200	small	8	095832725108
72512		1¼"	11	160	small	8	095832725122
72514		1½"	11	140	small	8	095832725146
72516		1¾"	11	120	small	8	095832725160
72520		2"	11	110	small	8	095832725207
ROOFING - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67110		1"	10	600	large	6	095832671108
67112		1¼"	10	450	large	6	095832671122
67114		1½"	10	400	large	6	095832671146
67120		2"	10	300	large	6	095832671207
67124		2½"	10	250	large	6	095832671245
67406		¾"	11	960	large	6	095832674062
67407		⅞"	11	850	large	6	095832674079
67410		1"	11	760	large	6	095832674109
67412		1¼"	11	620	large	6	095832674123
67414		1½"	11	530	large	6	095832674147
67416		1¾"	11	460	large	6	095832674161
67420		2"	11	410	large	6	095832674208
67424		2½"	11	330	large	6	095832674246

# ROOFING



## STANDARD ROOFING

- Flat Head
- Diamond Point
- Round Smooth Shank

*Nail with an enlarged head suitable for preparing roofing, asphalt shingles, insulation board and felts.*

ROOFING - ELECTRO GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72210		1"	11	200	small	8	095832722107
72212		1¼"	11	150	small	8	095832722121
72214		1½"	11	150	small	8	095832722145
72216		1¾"	11	120	small	8	095832722169
72220		2"	11	100	small	8	095832722206
72224		2½"	11	80	small	8	095832722244

ROOFING - ELECTRO GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
67210		1"	11	600	large	6	095832672105
67212		1¼"	11	550	large	6	095832672129
67214		1½"	11	500	large	6	095832672143
67216		1¾"	11	450	large	6	095832672167
67220		2"	11	300	large	6	095832672204
67224		2½"	11	300	large	6	095832672242
67230		3"	11	270	large	6	095832672303



## NEOPRENE ROOFING (RING SHANK)

- Flat Head
- Diamond Point
- Round Ringed Shank

*For steel roofing and other flat roofing materials. Neoprene washer provides an effective waterproof seal.*

RING ROOFING W/NEO WASHER - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
74616		1¼"	10	90	small	8	095832746165

RING ROOFING W/NEO WASHER - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65756		1¼"	10	340	large	6	095832657560



## SHAKE

- Flat Head
- Blunt Point
- Round Smooth Shank

*For cedar shingle and shake applications. Blunt point reduces splitting.*

SHAKE - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
74516	5d	1¾"	14	300	small	8	095832745168

SHAKE - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65716	5d	1¾"	14	1000	large	6	095832657164

# ROOFING



## SHINGLE (FINE)

- Flat Head
- Diamond Point
- Round Smooth Shank

*Fine nails suitable for nailing wood lath and lattice.*

SHINGLE (FINE) - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
74411	3d	1½"	15	600	small	8	095832744116
SHINGLE (FINE) - HOT DIP GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
65711	3d	1½"	15	2280	large	6	095832657119



## PLASTIC CAP ROOFING (RING SHANK)

- Cap Head
- Diamond Point
- Round Ringed Shank

*Plastic cap and ringed shank make it suitable for securely fastening felt, paper, canvas and other types of built-up roofing. Extra-large head provides additional holding power to securely fasten all roofing materials.*

PLASTIC CAP ROOFING - ELECTRO GALVANIZED (CARTON)						
Item #	Length	Gauge	Pcs	Carton Size	Master	UPC
7N649G	2"	12	100	4.5"W x 3.75"D x 6"H	6	095832018514
7N650G	2½"	12	100	4.5"W x 3.75"D x 6"H	6	095832018521
7N651G	3"	12	100	4.5"W x 3.75"D x 6"H	6	095832018538



# FLOORING & DECKING



## RING SHANK UNDERLAY FLOORING

- Flat Countersunk Head
- Diamond Point
- Round Ringed Shank

Used for nailing particleboard, plywood and sub-flooring over existing wood floors or joists where superior holding power is essential.

RING SHANK UNDERLAY FLOORING - BRIGHT (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
73610		1"	15	525	small	8	095832736104
73612		1¼"	14	450	small	8	095832736128
73614		1½"	12.5	260	small	8	095832736142
73617		1⅞"	12	180	small	8	095832736173
73621		2⅛"	12	160	small	8	095832736210
73623		2⅜"	11.5	120	small	8	095832736234

RING SHANK UNDERLAY FLOORING - BRIGHT (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
68612		1¼"	14	1800	large	6	095832686126
68614		1½"	12.5	900	large	6	095832686140
68617		1⅞"	12	700	large	6	095832686171
68623		2⅜"	11.5	480	large	6	095832686232



## FLUTED FLOORING

- Flat Head
- Needle Point
- Fluted Shank

Used as a standard finishing nail for attaching hardwood flooring or parquet flooring. Fluted thread increases holding power which resists loosening and squeaking.

FLUTED FLOORING - TEMPER HARDENED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
74416		1¼"	16	500	small	8	095832744161

# SPECIALTY USE



## FLUTED MASONRY

- Flat Countersunk Head
- Diamond Point
- Fluted Shank

*For fastening lumber to any type of concrete or masonry work. Predrilling may be necessary in some applications. For best holding power, choose a length that will penetrate 3/4" into the masonry. Solid blows at right angles provide the best results.*

FLUTED MASONRY - TEMPER HARDENED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
74206		3/4"	9	200	small	8	095832742068
74210		1"	9	150	small	8	095832742105
74212		1 1/4"	9	125	small	8	095832742129
74214		1 1/2"	9	100	small	8	095832742143
74216		1 3/4"	9	90	small	8	095832742167
74220		2"	9	75	small	8	095832742204
74222		2 1/4"	9	70	small	8	095832742228
74224		2 1/2"	9	50	small	8	095832742242
74230		3"	9	50	small	8	095832742303
74234		3 1/2"	9	40	small	8	095832742341
74240		4"	9	20	small	8	095832742402
FLUTED MASONRY - TEMPER HARDENED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
69210		1"	9	500	large	6	095832692103
69212		1 1/4"	9	450	large	6	095832692127
69214		1 1/2"	9	400	large	6	095832692141
69216		1 3/4"	9	275	large	6	095832692165
69220		2"	9	300	large	6	095832692202
69222		2 1/4"	9	250	large	6	095832692226
69224		2 1/2"	9	200	large	6	095832692240
69230		3"	9	200	large	6	095832692301
69234		3 1/2"	9	150	large	6	095832692349
69240		4"	9	100	large	6	095832692400

# SPECIALTY USE



## FENCE STAPLES

- Cut Point
- Round Smooth Shank

Used for attaching round wire fencing to posts and frames.

FENCE STAPLES - ELECTRO GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72412		1¼"	9	70	small	8	095832724125
72414		1½"	9	50	small	8	095832724149
72416		1¾"	9	50	small	8	095832724163
72420		2"	9	40	small	8	095832724200
FENCE STAPLES - ELECTRO GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
68012		1¼"	9	240	large	6	095832680124
68014		1½"	9	200	large	6	095832680148
68020		2"	9	150	large	6	095832680209
FENCE STAPLES - HOT DIP GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
73006		¾"	14	360	small	8	095832730065
73014		1½"	9	50	small	8	095832730140



## POULTRY NETTING STAPLES

- Cut Point
- Round Smooth Shank

Used for attaching poultry netting to wood framing.

POULTRY NETTING STAPLES - ELECTRO GALVANIZED (SMALL PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
72406		¾"	14	290	small	8	095832724064
72407		⅞"	13	250	small	8	095832724071
POULTRY NETTING STAPLES - ELECTRO GALVANIZED (LARGE PACK)							
Item #	Size	Length	Gauge	Pcs	Size	Master	UPC
68006		¾"	14	960	large	6	095832680063

# **Tree Island Steel**

**USA: 1 (800) 255-6974**

**CANADA: 1 (800) 663-0955**

**[www.treeisland.com](http://www.treeisland.com)**

